No of		
Page/ N° de page	7	

R	E1	П	IR	N	RI	ID	ς	T	7	•
-13			JΙN	14	D	u			•	-

RETOURNER LES SOUMISSIONS À:

See original RFB

Voir l'IAS originale

AMENDMENT - STANDARD REQUEST FOR BID

MODIFICATION À L'INVITATION À SOUMISSIONNER - STANDARD

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-120001/G.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-120001/G.

Solicitation No N° de la demande	Amendment No N° de modification	
5000068727	001	
N° de l'AMA de fournisseur :		
E60PQ-120001/G		
Solicitation closes – La demande prend fin :	File No N° de dossier	
at – à 2:00 PM EDT 14:00 HAE	5000068727	
on – le December 23, 2022 23 décembre 2022		



Date of Amendment – Date de la modification
2022-12-21
Address inquiries to – Adresser toute demande de
renseignement à :
See original RFB
ŭ
Voir l'IAS originale
G
Destination
6 1050
See original RFB
V : 1000 : : 1
Voir l'IAS originale

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadians funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur			
Telephone No N° de téléphone			
Facsimile No N° de télécopieur			
Name and title of person authorized to sign on behalf of supplier (type or print)			
Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'impression)			
Signature : Date			

Amendment 001

This amendment 001 is raised to:

- a) Modify Annex A (English version only)
- b) Modify the bid closing date;

.....

a) Modify Annex A (English version only) - Requirement;

DELETE: Table A1 and A2 in their entirety **INSERT:** The following Table A1 and A2

Table A1: Office Rotary Chair



CHAIR TYPE	QTY:35
Rotary Chair (up to 275 lbs)	
☐ Rotary Chair large occupant (up to 400 lbs)	
☐ Rotary Stool wit	h backrest

IMPORTANT:

Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU).

.

Criter	uctions	Requirement Choices
Head	drest	☐ Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height
	se only 1	■ No

В	Backrest Height choose only 1	□ Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) ■ High = height greater than 660 mm (26.0 in.) □ No preference = minimum height of 450mm (17.0 in.)			
	Backrest Profile	No prefer	ence (It is recomme	nded to select "no preference" as profiles do not affect functionality of chair).	
choose only 1					
	Lumbar Support	<u>Adjustable</u>			
С	choose ALL that are acceptable	•	= min. 50 mm (2.0	in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.)	
		☐ Fixed = between 150 mm (5.9 in.) to 250 mm (9.8 in.) above seat			
		Adjustable:			
	Armrests	■ Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.)			
D		■ Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.)			
	choose only the minimum mandatory	■ Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward			
	adjustments that are required.	☐ Fixed = height range between 200 mm (7.9 in.) to 250 mm (9.8 in.)			
		□ None			
	Seat Depth	■ Adjustable	e = min. 50 mm (2.0	in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.)	
E	☐ Fixed	☐ Fixed	☐ Shallow = 380	mm (15.0 in.) to 420 mm (16.5 in.)	
	choose ALL that are		☐ Medium = gre	rater than 420 mm (16.5 in.) to 460 mm (18.1 in.)	
	acceptable		☐ Deep = greate	er than 460 mm (18.1 in.)	
		Refer to chai			
F	Seat Width			width of 450 mm (17.7in.)	
		Rolary Large	Occupant models	= min. width of 560 mm (22.0 in.)	
			■ Adjustable	■ Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more	
	Seat Height	Rotary Chair	■ Adjustable	□ Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.) □ Other =	
	Scat Height		□ Fixed - between		
G	choose ALL that are	Datawa	□ FIXEU - DETWE	en 417 mm (16.4 in.) to 512 mm (20.2 in.)	
	acceptable	Rotary Stool with	includes range from 580 mm (23 in.) to 840 mm (33 in.)		
		backrest	☐ Fixed = equa	l or greater than 670 mm (27.5 in)	

н	Tilt Mechanism choose only 1	 □ Tilt Mechanism seat and backrest adjust together in a ratio that falls within ≥1:1 (includes both Synchro-Tilt and Unison Tilt) ■ Tilt Independently seat and backrest adjust independently of each other □ No preference 			
_	Seat and Backrest Locks choose ALL that are acceptable	•	☐ Setup Position = chair locks or stops at one position with seat flat and backrest straight ■ Multiple Positions = chair locks or stops at multiple positions (including setup position)		
J	Casters	■ carpet □	■ carpet □ hard surface		
L	Foot Ring	Standard wit	Standard with stool models only		
	Finishes (Upholstery / Non-Upholstery)	Backrest	■ Upholstery □ Other = □ Breathable material (Mesh)		
choose ALL that are acceptable Seat Upholstery					
	Additional Criteria:	If applicable, can be added providing it does not contradict the RFSA Technical Specifications > IUs must define any additional criteria that are justifiable for the specific needs of their requirement. > Additional Criteria must be generic and not Supplier specific			

Table A2: Rotary Chair



CHAIR TYPE	QTY:75	
CONFERENCE		
Rotary Chair (up to 275 lbs)		
☐ Rotary Chair large occupant (up to 400 lbs)		
☐ Rotary Stool with backrest		

IMPORTANT:

Canada may request additional information to confirm criteria prior to contract award within a time period specified by the Identified User (IU).

.

	Criteria Instructions	Requirement Choices
Α	Headrest choose only 1	☐ Yes – Adjustable and Removable (if applicable, indicate type of adjustment in additional criteria below) Recommended with Standard Back Height ■ No
В	Backrest Height choose only 1	□ Standard = height between 450 mm (17.7 in.) to 660 mm (26.0 in.) ■ High = height greater than 660 mm (26.0 in.) □ No preference = minimum height of 450mm (17.0 in.)
	Backrest Profile choose only 1	■ No preference (It is recommended to select "no preference" as profiles do not affect functionality of chair). □ Other =
С	Lumbar Support	Adjustable ■ Up/Down = min. 50 mm (2.0 in.) height adjustment between 150mm (5.9 in.) to 250 mm (9.8 in.) □ Other =

	choose ALL that are acceptable	☐ Fixed = be	tween 150 mm (5.	9 in.) to 250 mm (9.8 in.) above seat	
		Adjustable:			
	Armrests	■Height adjustable = min. 63 mm (2.5 in.) adjustment between 176 mm (6.9 in.) to 289 mm (11.4 in.)			
-		■ Width adjustable = within the range of 443 mm (17.0 in.) to 493 mm (19.4 in.)			
D	choose only the minimum mandatory	■ Pivot adjustable = min. 20 degrees inward and min. 10 degrees outward			
	adjustments that are required.	☐ Fixed = he	ight range betwee	n 200 mm (7.9 in.) to 250 mm (9.8 in.)	
		□ None			
	Seat Depth	■ Adjustable	e = min. 50 mm (2.	0 in.) adjustment within the range 420 mm (16.5 in.) to 460 mm (18.1 in.)	
E		☐ Fixed	☐ Shallow = 380	0 mm (15.0 in.) to 420 mm (16.5 in.)	
•	choose ALL that are	□ Fixeu	☐ Medium = greater than 420 mm (16.5 in.) to 460 mm (18.1 in.)		
	acceptable		☐ Deep = greate	er than 460 mm (18.1 in.)	
		Refer to chair			
F	Seat Width	Rotary chairs and stools = min. width of 450 mm (17.7in.)			
Rotary Large Occupant models = min. width of 560 mm (22.0 in					
	Seat Height			■ Standard = includes 417 mm (16.4 in.) or less to 512 mm (20.2in.) or more	
		Rotary	■ Adjustable	□ Low = includes 376 mm (14.8 in.) to 439 mm (17.3 in.)	
		Chair		☐ Other =	
G			☐ Fixed = betwe	een 417 mm (16.4 in.) to 512 mm (20.2 in.)	
	choose ALL that are acceptable	Rotary Stool with	☐ Adiustable =	includes range from 580 mm (23 in.) to 840 mm (33 in.)	
		backrest	☐ Fixed = equal or greater than 670 mm (27.5 in)		
	Tilt Mechanism			ckrest adjust together in a ratio that falls within \geq 1:1 (includes both Synchro-Tilt	
н		and Unison Tilt)			
	choose only 1	■ Tilt Independently seat and backrest adjust independently of each other □ No preference			
		— No preien	CIICC		
	Seat and Backrest Locks	☐ Setup Pos	ition = chair locks	or stops at one position with seat flat and backrest straight	
	choose ALL that are	■ Multiple P	ositions = chair loc	cks or stops at multiple positions (including setup position)	
	acceptable				

J	Casters	■ carpet □ hard surface		
L	Foot Ring	Standard with stool models only		
	Finishes (Upholstery / Non-Upholstery)	Backrest	■ Upholstery □ Other = □ Breathable material (Mesh)	
	choose ALL that are acceptable	Seat	■ Upholstery □ Other = □ Breathable material (Mesh)	
	Additional Criteria:	 If applicable, can be added providing it does not contradict the RFSA Technical Specifications IUs must define any additional criteria that are justifiable for the specific needs of their requirement. Additional Criteria must be generic and not Supplier specific 		

b) Modify the Bid Closing date in Section 1, page 3, RFB Closing -Submit Bid

DELETE: December 22, 2022 at 2:00 pm EDT

INSERT: December 23, 2022 at 2:00 pm EDT

All other terms and conditions remain unchanged.