



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC

11 Laurier St. / 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau

Québec

K1A 0S5

Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Munitions Division (BK) / Division des munitions (BK)

11 Laurier St./11, rue Laurier

8C2, Place du Portage, Phase III

Gatineau

Québec

K1A 0S5

Title - Sujet GRAIN TACTICL BARRIER .308 Winchester Tactical Barrier Ammunition	
Solicitation No. - N° de l'invitation M7594-225196/A	Amendment No. - N° modif. 004
Client Reference No. - N° de référence du client M7594-225196	Date 2023-02-15
GETS Reference No. - N° de référence de SEAG PW-\$\$BK-370-28830	
File No. - N° de dossier 370bk.M7594-225196	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Daylight Saving Time EDT on - le 2023-03-23 Heure Avancée de l'Est HAE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Ruest(370BK), Joanne	Buyer Id - Id de l'acheteur 370bk
Telephone No. - N° de téléphone (819) 360-7799 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

This solicitation Amendment 004 is raised to answer bidders' questions:

.....
Q.6

“Would Canada/RCMP consider a timing extension an additional 30 days from the current closing date?”

A.6

Yes, Canada/RCMP agree to extend the closing date to 22 March, 2023 – Eastern Daylight Saving Time (EDT).

Q.7

Are the 500 sample rounds to be delivered on or before the closing of this solicitation?

A.7

Yes, the samples(s) required for Stage II – Sample Performance Evaluation **must be submitted with the bid**. (Refer to Article 2.2 – Submission of Bids, of the Request for Proposal (RFP) for specific instructions for the submission of the sample rounds).

Q.8

It states for the optional years up to 150,000, the problem is when pricing per round is effected by the quantity. It is difficult to quote a price when the final number is unknown. This would lead to a much higher cost per round, in order for a manufacturer to protect themselves from a lost. Would it be possible to determine the actual quantity for the optional years. I look forward to your response.

A.8

RCMP has estimated 50,000 rounds per option (150,000/3options). RCMP will only know the quantities for each option when actual numbers are received from divisional stores on an annual basis through an internal Bulk Buy process. Bidders should base their pricing accordingly.

At Annex B – Statement of Requirement – M12

Delete:

When tested in accordance with SAAMI pressure testing, the pressure must not exceed the Maximum Probable Sample Mean (MPSM) of 66,000 psi. In addition, when conditioned to +125.6°F (+52°C) and -65.2°F (-54°C). the pressure must not exceed 66,000 psi.

Insert:

M12 When tested in accordance with SAAMI pressure testing, the pressure must not exceed the Maximum Probable Sample Mean (MPSM) of 66,000 psi.

Solicitation No. - N° de l'invitation
M7594-225196/A
Client Ref. No. - N° de réf. du client
M7594-225196/A

Amd. No. - N° de la modif.
004
File No. - N° du dossier
370BK- M7594-225196/A

Buyer ID - Id de l'acheteur
370BK
CCC No./N° CCC - FMS No./N° VME

At Appendix (1) to Annex 'B' – M12

Delete:

When tested in accordance with SAAMI pressure testing, the pressure must not exceed the Maximum Probable Sample Mean (MPSM) of 66,000 psi. In addition, when conditioned to +125.6°F (+52°C) and -65.2°F (-54°C) the pressure must not exceed 66,000 psi.

Insert:

M12 When tested in accordance with SAAMI pressure testing, the pressure must not exceed the Maximum Probable Sample Mean (MPSM) of 66,000 psi.

All other Terms and Conditions will remain the same.