Miconic
No Alteration of Elevator Parameters are Permitted Without Written Authorization from the Owner.
EMERGENCY BRAKE
WARNING


BUZZER
JTAG
VCC
WET-U
WET-D
TACHO
CAR01B 0% M!
0=02 1 N
NORMAL 0.0m/s
ESC
OK
Lift ID
SERVITEL
X1-1-2
THERMISTOR
MODEM
MBB
SK - BOARD
X5-1-1
X5-1-2
Temp. Sensor
CHART RECORDER TRIGGER GROUND
CHART RECORDER TRIGGER


CAUTION
OC57
OC57

2
BRAKE NOT FIELD ADJUSTABLE
WARNING
WARNING
ATTENTION
CAUTION
MISE EN GARDE
No Alteration of Elevator Parameters are Permitted Without Written Authorization from the Owner.


X2
X5
X7
CAUTION
HIGH VOLTAGE
STOP


OC57
EZ - SCAN
OC57


300V MAXIMUM IN WIRE TROUGH
CAUTION
Improper motor lead connections can cause damage to the starter and motor.
This starter is FACTORY WIRED for INSIDE THE DELTA operation. For IN LINE operation, please refer to the INSTRUCTION MANUAL.
ATTENTION
ALTERATIONS
ALTERATIONS


ATTENTION
SPARES
300V MAXIMUM IN WIRE TROUGH
ATTENTION




JRT
CAUTION
MISE EN GARDE
3