

RETURN BIDS TO:

Parks Canada Agency Bid Receiving Unit

National Contracting Services

Calgary, Alberta

Bid Fax: 1-866-246-6893 Bid E-mail Address:

soumissionsouest-bidswest@canada.ca

This is the only acceptable email address for responses to the bid solicitation. Bids submitted by email directly to the Contracting Authority or to any other email address will not be accepted.

The maximum email file size is 15 megabytes. The Parks Canada Agency (PCA) is not responsible for any transmission errors. Emails with links to bid documents will not be accepted.

REVISION 002 TO A REQUEST FOR QUOTATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions remain the same.

Issuing Office:

Parks Canada Agency National Contracting Services Calgary, Alberta

		•	
Title: LiDAR and Orthophotography Acquis National Park	ion – Watert	on Lakes	
Solicitation No.: 5P420-23-0073/A	Date: August 1, 20	te: gust 1, 2023	
Amendment No.: 002			
Client Reference No.: N/A			
GETS Reference No.: N/A			
Solicitation Closes: At: 14:00 On: August 9, 2023	Time Zo	one:	
F.O.B.: Plant: □ Destination: ⊠ Other: □			
Address Enquiries to: Amy Barrett Lichter			
Email Address: Phone Number 403-589-3402			
Fax No. : 1-866-246-6893			
Destination of Goods, Services, and Construction: Waterton Lakes National Park			
TO BE COMPLETED BY THE BIDDER			
Vendor/ Firm Name:			

Vendor/ Firm Name:			
Address:			
Telephone No.:	Email Address:		
Name of person authorized to sign on behalf of the Vendor/ Firm (type or print):			
Signature:	Date:		



Solicitation No.: Amendment No.: **Contracting Authority:** 5P420-23-0073/A 002 Amy Barrett Lichter **Client Reference No.:** LiDAR and Orthophotography Acquisition – Waterton Lakes National Park N/A **Amendment 002** This amendment is raised to provide responses to bidder questions. A. Answer questions from bidders **Questions and Answers** Is there any established Survey Control points available from the previous LiDAR Project (November Q1. 2017) or from previous orthophotos? **A1**. No. When was the last orthophoto project completed in this area? Q2. A2. 2018 Q3. If so what resolution? A3. The resolution of most recent orthophotos is 1 m Will the previous Lidar and any Orthophoto be made available to the successful contractor? Q4. Yes.

Α.

A4.

ALL OTHER TERMS & CONDITIONS REMAIN UNCHANGED.